FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)

| ATTY. DOCKET NO. 3944-13-CIP-1 | SERIAL NO. Not Yet Assigned | |
|-----------------------------------|--------------------------------|--|
| APPLICANT MAGILL et al. | | |
| FILING DATE Herewith | GROUP ART | |

U.S. PATENT DOCUMENTS

| *EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUB CLASS | FILING DATE IF APPROP. |
|----------------------|----|--------------------|------------|------------------|-------|--------------|---------------------------|
| on | 1 | 6,472,885 | 10/29/2002 | Green et al. | 324 | 638 | |
| | 2 | 10/102,614 | | Magill | | | 3/19/2002 |
| | 3 | 09/815,342 | | Van Doren et al. | | | 3/21/2001 |
| | 4 | 6,043,308 | 3/28/2000 | Tanahashi et al. | 524 | 495 | |
| | 5 | 5,996,006 | 11/30/1999 | Speicher | 709 | 218 | |
| | 6 | 5,961,913 | 10/5/1999 | Haase | 264 | 326 | |
| | 7 | 5,898,309 | 4/27/199 | Becker et al. | 324 | 689 | |
| | 8 | 5,874,832 | 2/23/1999 | Gabelich | 324 | 688 | |
| | 9 | 5,872,447 | 2/16/1999 | Hager, III | 324 | 71.1 | |
| | 10 | 5,749,986 | 5/12/1998 | Wyatt | 156 | 64 | |
| | 11 | 5,569,591 | 10/29/1996 | Kell et al. | 435 | 29 | |
| | 12 | 5,528,155 | 6/18/1996 | King et al. | 324 | 713 | |
| | 13 | 5,521,515 | 5/28/1996 | Campbell | 324 | 674 | |
| · | 14 | 5,486,319 | 1/23/1996 | Stone et al. | 264 | 406 | |
| | 15 | 5,459,406 | 10/17/1995 | Louge | 324 | 688 | |
| | 16 | 5,453,689 | 9/26/1995 | Goldfine et al. | 324 | 239 | |
| | 17 | 5,317,252 | 5/31/1994 | Kranbuehl | 324 | 71.7 | |
| | 18 | 5,283,731 | 2/1/1994 | Lalonde et al. | 364 | 401 | |
| | 19 | 5,223,796 | 6/29/1993 | Waldman et al. | 324 | 687 | |
| | 20 | 5,219,498 | 6/15/1993 | Keller et al. | 264 | 40.2 | |
| | 21 | 5,208,544 | 5/4/1993 | McBrearty et al. | 324 | 687 | |
| | 22 | 5,207,956 | 5/4/1993 | Kline et al. | 264 | 40.6 | |
| | 23 | 5,201,956 | 4/13/1993 | Humphrey et al. | 118 | 716 | |
| | 24 | 5,184,077 | 2/2/1993 | Day et al. | 324 | 693 | : |
| | 25 | 5,032,525 | 7/16/1991 | Lee et al. | 436 | 55 | |
| | 26 | 5,008,307 | 4/16/1991 | Inomata | 523 | 220 | |

| EXAMINER | DATE CONSIDERED 7/27/06 |
|----------|-------------------------|
| | |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.
3944-13-CIP-1
SERIAL NO.
Not Yet Assigned

INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)

APPLICANT
MAGILL et al.

Herewith

FILING DATE

GROUP ART

| n | 27 | 4,881,025 | 11/4/189 | Gregory | 324 | 61 R | |
|---|----|---|--------------|------------------|-----|-------|-------|
| | 28 | 4,868,769 | 9/19/1989 | Persson | 364 | 550 | |
| | 29 | 4,777,431 | 10/11/1988 | Day et al. | 324 | 61 P | |
| | 30 | 4,773,021 | 9/20/1988 | Harris et al. | 364 | 476 | |
| | 31 | 4,723,908 | 2/9/1988 | Kranbuehl | 432 | 37 | |
| | 32 | 4,676,101 | 6/30/1987 | Baughman | 73 | 304 C | |
| | 33 | 4,551,807 | Nov. 5, 1985 | Hsich et al. | 364 | 473 | |
| | 34 | 4,551,103 | 11/5/1985 | Vitale | 434 | 225 | |
| | 35 | 4,515,545 | 5/7/1985 | Hinrichs et al. | 425 | 143 | |
| | 36 | 4,510,436 | 4/9/1985 | Raymond | 324 | 61 P | |
| | 37 | 4,510,103 | 4/9/1985 | Yamaguchi et al. | 264 | 40.2 | ····· |
| | 38 | 4,496,697 | 1/29/1985 | Zsolnay et al. | 526 | 60 | |
| | 39 | 4,448,943 | 5/15/1984 | Golba et al. | 526 | 59 | |
| | 40 | 4,433,286 | 2/21/1984 | Capots et al. | 324 | 61 R | |
| | 41 | 4,423,371 | 12/27/1983 | Senturia et al. | 324 | 61 R | |
| | 42 | 4,399,100 | 8/16/1983 | Zsolnay et al. | 422 | 62 | |
| | 43 | 4,381,250 | 4/26/1983 | Rittenhouse | 252 | 182.1 | |
| | 44 | 4,373,092 | 2/8/1983 | Zsolnay | 528 | 481 | |
| | 45 | 4,344,142 | 8/10/1982 | Diehr, II et al. | 364 | 473 | |
| | 46 | 4,338,163 | 7/6/1982 | Rittenhouse | 204 | 2.1 | |
| | 47 | 4,331,516 | 5/25/1982 | Melghan | 204 | 2.1 | |
| | 48 | 3,985,712 | 10/12/1976 | Garst | 260 | 75 M | |
| | 49 | 3,879,644 | 4/22/1975 | Malthy | 317 | 246 | |
| | 50 | 3,781,672 | 12/25/1973 | Malthy et al. | 324 | 61 R | |
| | 51 | 3,778,705 | 12/11/1973 | Maithy | 324 | 61 R | |
| | 52 | 3,773,703_ | | - | | | |
| | 53 | | 8/14/1973 | Ludiow et al. | 324 | 61 R | |
| | | 3,746,975 | 7/17/1973 | Maithy | 324 | 65 R | |
| | 54 | 2,765,219 | 10/2/1956 | Shawhan | 23 | 253 | |
| | | l e e e e e e e e e e e e e e e e e e e | | | | | 5 |

| EXAMINER A | DATE CONSIDERED 1/17/06 |
|------------|-------------------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

GROUP ART

| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. 3944-13-CIP-1 | SERIAL NO. Not Yet Assigned |
|---------------|---|-----------------------------------|-----------------------------|
| INFOR | MATION DISCLOSURE STATEMENT (Use several sheets if necessary) | APPLICANT MAGILL et al. | |
| l . | | | |

FOREIGN PATENT DOCUMENTS

FILING DATE Herewith

| | | | | | | SUB | TRANSLATION | |
|-----|----|--------------------|---------------|---------|-------|--------|-------------|----|
| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | CLASS | YES | NO |
| SI | 55 | EP 1 050 888 A1 | Nov. 3, 2000 | Europe | H01B | 1/20 | | |
| n | 56 | EP 0 743 153 A1 | Nov. 20, 1996 | Europe | B29C | 35/02 | | |
| لمح | 57 | EP 0 540 103 B1 | Feb. 7, 1996 | Europe | C08K | 5/3415 | | |
| w | 58 | WO 99/13346 | Mar. 18, 1999 | PCT | G01R | 27/04 | | |
| | | | | | | | | |

OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)

| 41 | 59 | "Automatic, Computer Controlled, Processing of Advanced Composites"; Defense Small Business Innovation Research (SBIR) Program, April 7, 1988; 25 pgs. |
|-----------|----|--|
| 2 | 60 | Baumgartner et al.; "Computer Assisted Dielectric Cure Monitoring in Material Quality and Cure Process Control"; SAMPE Journal; July/August 1983; pgs. 6-16 |
| 2 | 61 | Buczek; "Considerations in the Dielectric Analysis of Composites"; 40th International SAMPE Symposium; May 8-11, 1995; pgs. 696-710 |
| n | 62 | Buczek; "Self-Directed Process Control System for Epoxy Matrix Composites"; 40th International SAMPE Symposium; May 8-11, 1995; 8 pgs. |
| 2 | 63 | "Critical Point Control/Statistical Quality Control Software Module"; Micromet Instruments; 1993; 2 pgs. |
| a | 64 | Desanges; "Changes in the Electrical Properties of Natural Rubber/Carbon Black Compounds During Vulcaniation"; Revue Generale du Caoutchouc; December 1957; 34(12); pgs. 631-649 |
| 2 | 65 | "Dielectric Cure Testing on Polyester Bulk Molding Compound"; Holometrix Micromet; 2001; 3 pgs.; http://www.holometrix.com/holometrix/m materialtest.asp |
| <u>in</u> | 66 | "Dielectric Sensors"; NETZSCH; February 21, 2002; pgs. |
| M | 67 | "Eumetric System III Microdielectrometer"; Holometrix Micromet, 2001; 5 pgs. |
| a | 68 | "ICAM-1000 - In-mold Monitoring For SPC, SQC, and CPC (Critical Point Control) of Thermoset Molding Operations"; Micromet Instruments, Inc.; at least as early as March 1990; 4 pgs. |
| 7 | 69 | "ICAM-1000 Industrial Cure Analysis & Monitoring System"; Micromet Instruments, Inc.; August 1, 1991; 1 pg. |
| 2 | 70 | *ICAM-2000 Multi-Channel Cure Analyzer"; Micromet Instruments; 1993; 2 pgs. |
| Ch | 71 | Johnson et al.; "Production Implementation of Fully Automated, Closed Loop cure Control for Advanced Composite Strucutres"; 34th International SAMPE Symposium, May 8-11, 1989; pgs, 373-384 |

| EXAMINER / | DATE CONSIDERED 7/27/06 |
|---|---|
| *EXAMINER: Initial if reference considered, whether or not citation is in confi | ormance with MPEP 609; Draw line through citation if not in conformance and |

| | J.S. DEPARTMENT OF COMMERCE AND TRADEMARK OFFICE | ATTY. DOCKET NO. 3944-13-CIP-1 SERIAL NO. Not Yet Assigned | | |
|---|---|--|-----------|--|
| - | ISCLOSURE STATEMENT al sheets if necessary) | APPLICANT MAGILL et al. | | |
| | | FILING DATE Herewith | GROUP ART | |

| n | 72 | Keller et al.; "Computer Controlled Processing of Composites Utilizing Dielectric Signature Curves"; SAMPE Journal; September/October 1992; 28(5); pgs. 25-33 |
|----|----|--|
| 2 | 73 | Keller et al.; "Real Time, In-Situ Dielectric Monitoring of Advanced Composites Curing Processes"; Programmed Composites, Inc.; August 1, 1987; 63 pgs. |
| 1 | 74 | Khastgir, "A Comparative Study of Step Curing and Continuous Curing Methods"; Rubber World, January 1994; pgs. 28-31 |
| 2 | 75 | "Lockheed Signature Process Control for Composites Proposal"; Ketema Programmed Composites, Inc.; July 1, 1993; pgs. 1-12 |
| 2 | 76 | "MDE Series 10 Cure Monitor"; Holometrix Micromet; at least as early as March 15, 2000; 2 pgs. |
| 2 | 77 | "Mono-Probe"; TYT-NAM-MON; October 27, 2000; 1 pg. |
| 2 | 78 | "Northrop Aircraft Division RTM System Proposal"; Ketema Programmed Composites, Inc.; April 1, 1993; 13 pgs. |
| a | 79 | "Notification of Transmittal of the International Search Report or the Declaration" from the Patent Cooperation Treaty in International Patent Application No. PCT/US02/32480 filed October 9, 2002. |
| 4 | 80 | O'Conor et al.; "Update to the June 1990 Confidential Descriptive Memorandum"; Micromet Instrument, Inc.; December 1, 1990; 17 pgs. |
| 2 | 81 | Persson; *A Novel Method of Measuring Cure - Dielectric Vulcametry*; Plastics and Rubber Processing and Applications; 1987; 7(2); pgs. 111-125 |
| M | 82 | "Product Selection Grid"; Holometrix Micromet; 2001; 1 pg.; http://www.holometrix.com/holometrix/m_prgrid.asp |
| 9 | 83 | Rajeshwar, "AC Impedance Spectroscopy of Carbon Black-Rubber Composites"; Department of Chemistry and Biochemistry at The University of Texas as Arlington; September 21-24, 1999; 13 pgs. |
| n | 84 | SmartTrac Advertisement, Automotive News; May 21, 2001, 1 pg. |
| or | 85 | "SmartTrac"; Innovative Aftermarket Systems, Inc.; 2001; 2 pgs. http://www.ias-inc.net/pages/products/smart.html |
| 2 | 86 | "Textron Aerostructures Autoclave Process Control Proposal"; Ketema Programmed Composites, Inc.; February 12, 1993; 16 pgs. |
| ~ | 87 | "The Eumetric System III Microdielectrometer"; Micromet Instruments, Inc.; September 1991; 4 pgs. |
| 1 | 88 | "Thermokinetics"; NETZSCH; ; November 8, 2001; 2 pgs. |
| 72 | 89 | "Tool Mount Sensors"; NETZSCH; February 21, 2002; 2 pgs. |
| A | 90 | "Vulcanization of Natural Rubber"; NETZSCH; November 8, 2001; 2 pgs. |
| | | |

| EXAMINER 2 | DATE CONSIDERED 7/27/06 |
|------------|-------------------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

JUN 0 2 2005

Sheet

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

| Complete if Known | | | | | |
|------------------------|------------------|--|--|--|--|
| Application Number | 10/800,079 | | | | |
| Filing Date | March 11, 2004 | | | | |
| First Named Inventor | Magill et al. | | | | |
| Art Unit | Not Yet Assigned | | | | |
| Examiner Name | Not Yet Assigned | | | | |
| Attorney Docket Number | 3944-13-CIP-1 | | | | |

| | | | U.S. PATENT DO | CUMENTS | |
|--------------------|--------------|---|--------------------------------|--|---|
| Examiner Initials* | Cite No.1 | Document Number Number-kind Code ² (7 Annum) | Publication Date MM-DD-YYYY | Name of Patentee of Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
| W | 1 | 6,855,791 | 2/15/2005 | Van Doren et al. | |
| V | 2 | 6,774,643 | 8/10/2004 | Magill | |
| a | 3 | 2004-0133301-A1 | 7/8/2004 | Van Doren et al. | |
| N | 4 | 4,896,098 | 1/23/1990 | Haritonidis et al. | |
| > | 5 | 4,710,550 | 12/1/1987 | Kranbuehl | |
| \sim | 6 | 11/077,915 | | Schneider et al. | Filed 3/11/2005 |
| | | | | | |

| | | | FOREI | GN PATENT DO | CUMENTS | | |
|--------------------|--------------|-----------|--|--------------------------------|--|---|----------------|
| Examiner Initials* | Cite No.1 | Country C | Foreign Patent Document Code*; Number*; Kind Code* (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | T ₆ |
| <u> </u> | 7 | ΕP | 0 313 435 | 4/26/1989 | | | T |
| 17 | 8 | FR | 2 645 275 | 10/5/1990 | | | |
| ~ | 9 | wo | 04/004998 | 1/15/2004 | | | 工 |
| | | | | | | | |

| | | OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.) |
|-----------------------|--------------|---|
| Examiner Initials* | Cite No.1 | |
| 2 | 10 | Day; "Cure Characterization of Thick Polyester Composite Structures Using Dielectric and Finite Difference Analysis"; Composite Material Technology; ASME; 1993; PD-Vol. 53:249-252 |
| n | 11 | "Prepreg Cure Characterization Using Simultaneous Dynamic Mechanical Analysis-Dielectric Analysis (DMA-DEA); Perkin Elmer Thermal Analysis Newsletter; (date unknown); 4 pp. |
| 4 | 12 | "Tool Mount Sensors"; http://www.micromet.com/home/rds.htm; (date unknown); 2 pp. |

| Examiner Sigature | 1 | Date Considered | 7/27/06 |
|----------------------|---|------------------------|---------------------------------------|
| *EXAMINER | Initial if reference is considered, whether or not citation is in conformar | nce and not considered | . Include copy of this form with next |

communication to applicant.
J:\3944\-13-CIP-1\To Be Filed\IDS-02-1449.wpd

| 1 48 | titute for form 1 | 1440A/DTO | | Complete if Known | | |
|-------------------|-------------------|-----------|---------|-----------------------|------------------|--|
| OC1 3 8 2005 Subs | atute for form | 1443/0/10 | | Application Number | 10/800,079 | |
| 1 100 | ORMAT | TION DISC | CLOSURE | Filing Date | March 11, 2004 | |
| TRADENS ST | ATEME | NT BY AP | PLICANT | First Named Inventor | MAGILL et al. | |
| SALLHYDEN | | | | Art Unit | Not Yet Assigned | |
| | | | | Examiner Name | Not Yet Assigned | |
| Sheet | 1 | of | 1 | Attomey Docket Number | 3944-13-CIP-1 | |

| | | | U.S. PATENT DOC | CUMENTS | |
|--------------------|--------------|---|--------------------------------|--|---|
| Examiner Initials* | Cite No.¹ | Document Number Number-kind Code ^{7 (F known)} | Publication Date MM-DD-YYYY | Name of Patentee of Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
| N | 1 | 6,490,501 | 12/2002 | Sanders | |
| V | 2 | 5,210,499 | 5/1993 | Walsh | |
| | | | | | |
| | | 78.74 | | | |
| | | | | | |
| | | | | · | |

| | | | FORE | IGN PATENT DO | OCUMENTS | | |
|--------------------|--------------------------|---|---|--------------------------------|--|---|----|
| Examiner Initials* | Cite No. ¹ | | reign Patent Document 3*; Number*; Kind Code* (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | T⁵ |
| | | - | | | | | П |
| | | - | | | | | |
| | | - | 1 | | | | Π |
| | | - | | | | | |
| | | - | | | | | |

| | OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.) | | | | | | |
|--------------------|--|--|--|--|--|--|--|
| Examiner Initials* | Cite No.1 | | | | | | |
| | | | | | | | |
| | | | | | | | |

| Examiner Signature | Ma | Date Considered | 7/27/0 | 6 |
|-----------------------|----|--------------------|--------|---|
| | | | | |

*EXAMINER: Include copy of this form with next communication to applicant.

J:\3944\-13-CIP-1\To Be Filed\IDS-03-1449.wpd